



# RSC Communicable and Respiratory Disease Report for England

## Key Statistics:

Week Number/Year..... **52/2019**  
 Week Starting - Ending..... **23/12/2019 - 29/12/2019**  
 No. of Practices..... **260**  
 Population..... **2,504,283**

## National (England)

- **Acute Bronchitis** : decreased from **97.6** in week 51 to **73.1** in week 52.
- **Asthma** : decreased from **18.1** in week 51 to **11.1** in week 52.
- **Common Cold** : decreased from **123.9** in week 51 to **83.2** in week 52.
- **Influenza Like illness** : decreased from **19.4** in week 51 to **12.9** in week 52.
- **Respiratory System Diseases** : decreased from **397.6** in week 51 to **268.5** in week 52. ..

## Regional (North. South. London and Midlands and East)

- **Acute Bronchitis** : decreased from **62.8** in week 51 to **41.3** in week 52 in the London region, decreased from **138.9** in week 51 to **102.7** in week 52 in the North region, decreased from **76.0** in week 51 to **64.0** in week 52 in the South region, and decreased from **119.6** in week 51 to **89.0** in week 52 in the Midlands And East region.
- **Asthma** : decreased from **13.9** in week 51 to **11.4** in week 52 in the London region, decreased from **24.0** in week 51 to **15.7** in week 52 in the North region, decreased from **15.4** in week 51 to **8.3** in week 52 in the South region, and decreased from **19.1** in week 51 to **8.7** in week 52 in the Midlands And East region.
- **Common Cold** : decreased from **156.3** in week 51 to **107.0** in week 52 in the London region, decreased from **123.9** in week 51 to **93.2** in week 52 in the North region, decreased from **89.2** in week 51 to **56.0** in week 52 in the South region, and decreased from **148.3** in week 51 to **96.9** in week 52 in the Midlands And East region.
- **Influenza Like illness** : decreased from **17.0** in week 51 to **12.1** in week 52 in the London region, decreased from **25.5** in week 51 to **11.2** in week 52 in the North region, was unchanged at **14.9** in week 51 compared with **14.6** in week 52 in the South region, and decreased from **21.0** in week 51 to **12.9** in week 52 in the Midlands And East region.
- **Respiratory System Diseases** : decreased from **367.8** in week 51 to **245.9** in week 52 in the London region, decreased from **473.8** in week 51 to **326.6** in week 52 in the North region, decreased from **313.9** in week 51 to **219.3** in week 52 in the South region, and decreased from **479.3** in week 51 to **318.5** in week 52 in the Midlands And East region.


## Comment:

Presentations in respiratory system diseases have decreased this week and are below levels usually seen at this time of year. Influenza like illness decreased this week and are similar to levels usually seen at this time of the year, though this week's report should be interpreted with caution due to holiday period closures.


## Winter Focus 2019/20

Please see page 13 for explanatory notes on the data.


### (A) Influenza-like illness: incidence rate winter 2019/20\*



### (B) RCGP/PHE RSV and Influenza Virology Swab Surveillance 2019/20(all ages, gender & regions combined)\*



\* The thresholds used are the agreed RCGP/ Public Health England levels for 2019/20. The rolling average line (blue) is based on 5 year historic RCGP RSC level.

**(C) Influenza-like illness: national incidence rate 2019/2020 by age group\*****(D) Influenza-like illness: national incidence rate 2019/2020 by age group\***


This table shows the level of intensity of ILI by age band. MEM thresholds have been calculated separately for each age band - the ranges are shown in the table Threshold levels by age band.

Table 1	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
<15yrs	1.8	1.7	3.5	3.3	1.8	3.4	4.6	8.7	15.6	18.5	22.2	22.3	13.3				
15-64yrs	4.9	5.8	6.3	7.0	5.7	5.5	6.2	6.7	10.3	13.0	16.1	19.7	13.4				
65+yrs	4.1	5.5	4.6	6.3	2.9	2.6	2.5	3.5	6.7	8.4	9.5	15.2	10.3				
All ages	4.3	5.0	5.5	6.2	4.5	4.6	5.3	6.5	10.6	13.1	16.0	19.4	12.9				
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
<15yrs																	
15-64yrs																	
65+yrs																	
All ages																	

Table 2	Below Threshold <sup>1</sup>	Threshold to Medium <sup>2</sup>	Medium to High <sup>3</sup>	High to Very High <sup>4</sup>	Above Very High <sup>5</sup>	Threshold levels
0-14	<10.7	10.7 to <18.1	18.1 to <49.9	49.9 to <78.1	78.1+	<sup>1</sup> Below baseline threshold
15-64	<14.8	14.8 to <28.9	28.9 to <69.6	69.6 to <102.7	102.7+	<sup>2</sup> baseline threshold breach to < 40th percentile
65+	<11.8	11.8 to <17.9	17.9 to <43.3	43.3 to <64.0	64.0+	<sup>3</sup> 40th to <90th percentile
All Ages	<12.7	12.7 to <24.1	24.1 to <70.6	70.6 to <113.6	113.6+	<sup>4</sup> 90th to <97.5th percentile <sup>5</sup> 97.5th+ percentile

**Weekly influenza-like illness and Acute Bronchitis incidence rates per 100,000 persons**

Influenza-like illness		Bronchitis	Influenza-like illness		Bronchitis
<1yr	13.6	186.5	London	12.1	41.3
1-4yrs	17.9	122.6	North	11.2	102.7
5-14yrs	11.6	34.1	South	14.6	64.0
15-24yrs	7.9	15.2	Midlands And East	12.9	89.0
25-44yrs	14.4	32.9	National	12.9	73.1
45-64yrs	14.9	75.2			
65-74yrs	11.4	140.1			
75-84yrs	9.3	214.3			
85+yrs	8.6	308.5			
All ages	12.9	73.1			


**(E) Acute Bronchitis: national incidence rate 2019/2020 by age group\*****Weekly Influenza-like illness and Acute Bronchitis incidence rates per 100,000 persons**

	Influenza-like illness	Bronchitis
<b>&lt;5yrs</b>	17.2	133.1
<b>5-14yrs</b>	11.6	34.1
<b>15-64yrs</b>	13.4	45.6
<b>65+yrs</b>	10.3	187.5
<b>All ages</b>	12.9	73.1


# 1. Water & Food Borne Disorders:

5yr Avg   National   London   North   South   Midlands And East


**Infectious Intestinal Disease (ICD10: A00-A09)**  
Weekly incidence (per 100,000 **all ages**) by regions  
for 2019/20 compared with 5 year average




**Infectious Intestinal Disease (ICD10: A00-A09)**  
Weekly incidence (per 100,000 **0-4 years**) by regions  
for 2019/20 compared with 5 year average



**Non-Infective Enteritis & Colitis (ICD10: K50-K52)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Viral Hepatitis (ICD10: B15-B19)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




## 2. Environmentally Sensitive Disorders:

5yr Avg   National   London   North   South   Midlands And East


**Asthma (ICD10: J45-J46)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Disorders of Conjunctiva (ICD10: H10-H13)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average



**Hayfever/Allergic Rhinitis (ICD10: J30)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Symptoms involving Respiratory & Chest (ICD10: R05-R07,R09)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




### 3. Respiratory Infections:

■ 5yr Avg ■ National ■ London ■ North ■ South ■ Midlands And East


**Acute Bronchitis (ICD10: J20-J21,J40)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Common Cold (ICD10: J00,J06)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Influenza-Like Illness (ICD10: J09-J11)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Acute Laryngitis/Tracheitis (ICD10: J04)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average



**Pleurisy (ICD10: R091)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Pneumonia/Pneumonitis (ICD10: J12-J18)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




### 3. Respiratory Infections(Continued):

■ 5yr Avg ■ National ■ London ■ North ■ South ■ Midlands And East


**Respiratory System Diseases (ICD10: J00-J99)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Acute Sinusitis (ICD10: J01)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Strep Sore Throat, Scarlatina and Peritonsillar Abscess (ICD10: A38,J020,J36)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Acute Tonsillitis/Pharyngitis (ICD10: J02-J03)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average



**Upper Respiratory Tract Infections (URTI)(ICD10: J00-J06)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average



**Whooping Cough (ICD10: A37)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average







### 3. Respiratory Infections(Continued):

5yr Avg   National   London   North   South   Midlands And East


**Infectious Mononucleosis (ICD10: B27)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average



**Lower Respiratory Tract Infections (LRTI)(ICD10: J20-J22)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Acute Otitis Media (ICD10: H650-H651,H660,H669)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




## 4. Vaccine Sensitive Disorders

5yr Avg   National   London   North   South   Midlands And East


**Measles (ICD10: B05)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average



**Mumps (ICD10: B26)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Rubella (ICD10: B06)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




## 5. Skin Contagions

**Bullous Dermatoses (ICD10: L10-L14)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Chickenpox (ICD10: B01)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




## 5. Skin Contagions (Continued)

5yr Avg   National   London   North   South   Midlands And East


**Herpes Simplex (ICD10: B00)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Herpes Zoster (ICD10: B02)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Infections of Skin & Subcutaneous Tissue (ICD10: L00-L08)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Scabies (ICD10: B86)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average



**Symptoms involving Skin & Oth Integument Tiss (ICD10: R20-R23)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Impetigo (ICD10: L01)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




## 6. Disorders Affecting the Nervous System

5yr Avg   National   London   North   South   Midlands And East


**Disorders of The Peripheral Nervous System (ICD10: G50-G64,G70-G72)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average



**Meningitis/Encephalitis (ICD10: A170-A171,A390,A38-A85,A87,G00-G05)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average




**Symptoms Involving Nervous & Musculoskeletal (ICD10: R25-R29)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average



## 7. Genitourinary System Disorders

**Urinary Tract Infection/Cystitis (ICD10: N30,N390)**  
Weekly incidence (per 100,000 all ages) by region  
for 2019/20 compared with 5 year average



## 8. Tabular Summary by Disease

Disease Name	Week beginning Week ending		23/12/2019 29/12/2019		16/12/2019 22/12/2019		09/12/2019 15/12/2019		02/12/2019 08/12/2019	
	Rate	Numer	Rate	Numer	Rate	Numer	Rate	Numer	Rate	Numer
Allergic Rhinitis	1.1	27	2.8	65	2.4	48	2.9	72		
Asthma	11.1	277	18.1	416	14.5	292	14.7	370		
Bronchitis	73.1	1,830	97.6	2,240	84.7	1,707	75.7	1,908		
Bullous Dermatoses	0.1	2	0.3	8	0.2	4	0.2	6		
Chickenpox	2.8	69	3.2	74	2.7	54	2.6	65		
Common Cold	83.2	2,084	123.9	2,844	128.6	2,592	116.0	2,926		
Conjunctival Disorders	14.3	357	20.2	463	18.1	364	15.9	400		
Herpes Simplex	2.7	68	3.7	84	3.7	74	3.6	90		
Herpes Zoster	3.9	97	5.8	133	5.0	100	4.7	119		
Impetigo	4.0	99	4.8	111	4.7	94	4.7	119		
Infectious Mononucleosis	0.2	5	0.3	8	0.2	4	0.3	8		
Influenza-like illness	12.9	322	19.4	445	16.0	323	13.1	331		
Infectious Intestinal Diseases	5.1	127	9.5	217	9.2	186	8.0	202		
Laryngitis and Tracheitis	4.0	99	5.6	128	5.0	100	5.0	127		
Lower Respiratory Tract Infections	91.6	2,293	126.1	2,894	109.3	2,204	96.7	2,439		
Measles	0.0	1	0.0	0	0.0	0	0.1	2		
Meningitis and Encephalitis	0.0	1	0.1	2	0.1	3	0.2	5		
Mumps	0.4	11	0.3	8	0.3	7	0.3	8		
Non-infective Enteritis and Colitis	3.8	94	6.7	154	5.8	116	6.5	163		
Otitis Media Acute	22.2	555	31.9	732	29.1	587	25.5	644		
Peripheral Nervous Disease	7.8	195	13.2	304	12.7	256	12.3	311		
Pleurisy	0.8	20	1.1	26	0.8	17	0.9	23		
Pneumonia and Pneumonitis	2.7	68	4.2	96	3.0	60	2.8	71		
Respiratory System Diseases	268.5	6,724	397.6	9,123	369.2	7,444	336.0	8,474		
Rubella	0.0	0	0.0	0	0.0	0	0.0	0		
Scabies	0.6	16	1.5	35	1.2	24	1.1	29		
Sinusitis	15.1	379	24.2	556	20.8	419	17.6	445		
Skin and Subcutaneous Tissue Infections	39.3	985	63.9	1,467	62.0	1,251	57.3	1,446		
Strep Throat and Peritonsillar Abscess	1.8	44	1.7	40	2.3	47	1.8	46		
Symptoms involving musculoskeletal	3.4	84	6.0	137	5.6	113	5.2	131		
Symptoms involving Respiratory and Chest	100.9	2,528	154.6	3,548	148.9	3,002	139.2	3,510		
Symptoms involving Skin and Integument Tissues	11.2	280	22.7	521	22.9	462	21.6	545		
Tonsillitis and acute Pharyngitis	31.1	778	43.7	1,002	41.0	827	39.9	1,006		
Upper Respiratory Tract Infections	168.6	4,221	248.6	5,705	239.7	4,832	217.5	5,485		
Urinary Tract Infections	15.8	396	20.7	474	19.5	393	18.3	461		
Viral Hepatitis	0.1	3	0.2	4	0.3	7	0.2	6		
Whooping Cough	0.1	3	0.4	10	0.0	1	0.1	3		
<b>Practice Count</b>	<b>260</b>		<b>247</b>		<b>226</b>		<b>263</b>			
<b>Denom</b>	<b>2,504,283</b>		<b>2,294,797</b>		<b>2,016,130</b>		<b>2,521,783</b>			

## FURTHER INFORMATION:

### About the report

#### Winter focus

The first two pages of data within this report focus on Influenza-Like Illness, in order to provide information about the on set of seasonal influenza and early warning of any epidemic.

#### Rate calculation

Each weekly incidence rate is presented per 100,000 population. All presentations are for males and females, and for all age groups, unless otherwise stated.

The denominator used for this report is taken from our most recent extract of data from GP practice systems, and includes all patients currently registered with eligible practices. The denominator varies week-on-week as patients register and deregister; it may also be the case that all patients from an individual practice are excluded because of problems with the data extraction from that practice in a specific week. As stated above, patients who have withheld consent for data-sharing are excluded.

In addition to the national rate, we present data for the four NHS England regions: North; Midlands and East; South; and London.

#### Five-year averages

Weekly rates are set against the five-year average, calculated from data for the calendar years 2014-2018. Previously we reported against a ten-year average. The change to a five-year average was made because longer-term trends in the incidence of disease have led to weekly rates for certain diseases becoming increasingly divergent from their ten-year average. The use of five-year averages lessens this effect and enables more meaningful comparison.

#### Threshold calculation for Influenza-Like Illness (ILI)

We are now using the Moving Epidemic Method (MEM) to calculate threshold and intensity levels for Influenza-Like Illness. MEM works by identifying seasonal epidemic peaks and then calculates thresholds and intensity levels based on the pre and post epidemic values. This allows us to report the severity of ILI against multiple thresholds, rather than a simple comparison with the five-year average as the wide variation in ILI year on year, especially during the seasonal peak, makes the average less representative.

In addition to the All Ages thresholds, we have also calculated thresholds for three age bands: those aged under 15, 15-64 year olds and those aged 65 and over. ILI incidence rates vary among different age groups, and the age-specific thresholds allow us to highlight epidemics where ILI disproportionately affects a particular age group.

This methodology is used by the European Centre for Disease Prevention and Control to standardise reporting of influenza activity across Europe, and is also in use by Public Health England. Full details of the methodology can be found in: Vega *et al.* (2012) Influenza surveillance in Europe: establishing epidemic thresholds by the moving epidemic method. Influenza and Other Respiratory Viruses 7(4), 546–558. For ease of graphical representation, the final threshold (Very High) is not included in Graph A, page 2, but it is part of Table 3, page 3.

Both the *all-ages* thresholds and the *age-specific* thresholds are shown in Table 2, page 3. Ten years of data were used for *all-ages* and *age-specific* thresholds calculation (winter seasons 2006/07- 2016/17 excluding 2009/10).

## About the Royal College of General Practitioners (RCGP) Research and Surveillance Centre (RSC)

### What we do

The RCGP RSC was established in 1957, with the current name in use since 2009. The Centre is an internationally renowned source of information, analysis and interpretation concerning the onset, patterns, prevalence and trends over time of morbidity in primary care. The RSC is an active research and surveillance unit that collects and monitors data; its most important research is the surveillance of influenza and the monitoring of vaccine effectiveness.

The RSC data and analytics hub is housed in the Section of Clinical Medicine and Ageing at the University of Surrey.

Further information about the RSC can be found on our website:

<http://www.rcgp.org.uk/rsc>

### Our data extraction process and information governance

Data are extracted twice weekly from practice systems by Wellbeing data management on the RCGP's behalf. Patients who have withheld consent for data sharing are excluded from the extraction process.

Data are pseudonymised as close to source as possible. Data are held on secure servers at the RCGP data and analytics hub in the Section of Clinical Medicine and Ageing at the University of Surrey. Both Wellbeing data management and the University of Surrey are Registered and compliant with the Data Protection Act and fully compliant with all relevant NHS Digital data information governance best practice.

### What the data is used for

The RCGP RSC has been providing reports weekly about health and disease, called the Weekly Returns Service (WRS) since 1964. The WRS monitors the number of patients consulting with new episodes of illness classified by diagnosis in England and provides weekly incidence rates per 100,000 population for these new episodes of illness. It is the key primary care element of the national disease monitoring systems run by Public Health England. The bulletin can be found at the following URL:

<https://www.gov.uk/government/publications/syndromic-surveillance-summary>

In addition to the WRS, the data is used for other research studies. Any other uses of the data for research follow ethical approval or agreement from NIHR proportionate review, and where relevant Health Research Authority Confidential Advisory Group advice that further approval is not needed. Full details can be found on our website:

<http://www.rcgp.org.uk/rsc>

### For further information

For further information about the work of the RSC, or if you would like to be included on our email notification list, please contact:

RCGP Research & Surveillance Centre  
CIRC, First floor  
30 Euston Square  
London NW1 2FB  
Tel: +44 (0)203 188 7690

Medical Director: Professor Simon de Lusignan

[MedicalDirectorRSC@rcgp.org.uk](mailto:MedicalDirectorRSC@rcgp.org.uk)

RCGP Research & Surveillance Centre  
University of Surrey  
Section of Clinical Medicine and Ageing  
GUILDFORD  
GU2 7XH  
Tel: +44 (0)1483 688293

Practice Liaison Officer:  
[practiceenquiries@phc.ox.ac.uk](mailto:practiceenquiries@phc.ox.ac.uk)  
Tel: +44 (0)1865 617284 / 7198

